This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended). A system for portable networking of multi-user applications, comprising:

at least one wireless hand-held user terminal in a plurality of wireless hand-held user terminals; and

a portable hand-held user device operating as a wireless server including a mass memory module to store and communicate the same multi-user application data to -each said at least one the plurality of wireless hand-held user terminals;

wherein a wireless protocol communicates <u>only</u> the same multi-user application data <u>to</u> <u>the plurality of wireless hand-held user terminals</u> <u>between said wireless server and each said at least one wireless user terminal via a wireless link.</u>

2. (Currently Amended). The system of claim 1, wherein said at least one wireless hand-held user terminal further comprises:

a user interface that allows the user to request data from said mass memory module;

a wireless communication interface for communicating the same multi-user application data between said portable wireless server and said-at least one wireless <u>hand-held</u> user terminal.

a buffer memory for storing instruction for executing the same multi-user application data received by said at least one wireless <u>hand-held</u> user terminal;

a processor in communication with said buffer memory for executing instruction stored in said buffer memory; and

a display for viewing the multi-user application data received from said portable wireless server.

3. (Currently Amended). The system of claim 1, wherein said server further comprises:

a mass memory module for storing the multi-user application data used by said at least one wireless <u>hand-held</u> user terminal;

a processor in communication with said mass memory module that executes requests for the multi-user application data by said at least one wireless <u>hand-held</u> user terminal and locates the multi-user application data in said mass memory module; and

a wireless communication interface for communicating the same multi-user application data between said mass memory module and each said at least one wireless <u>hand-held</u> user terminal.

- 4. (Currently Amended). The system of claim 1, wherein said wireless protocol for transmitting data to said wireless <u>hand-held</u> user terminal is a Bluetooth protocol.
 - 5. (Cancelled).
- 6. (Previously Presented). The system of claim 1, wherein said system further comprises an optional USB plug for connecting said portable wireless server to a personal computer.
- 7. (Currently Amended). The system of claim 1 wherein said system further includes an optional plug as a data cable connection between said at least one wireless <u>hand-held</u> user terminal and said portable wireless server.
- 8. (Currently Amended). The system of claim 1, further comprising an optional plug as a power cable connection between said portable wireless server and said at least one wireless hand-held user terminal.

- 9. (Currently Amended). The system of claim 1, further comprising a single optional cable for both power and data transfer between said portable wireless server and said at least one wireless <u>hand-held</u> user terminal.
- 10. (Currently Amended). The system of claim 1, wherein said wireless <u>hand-held</u> user terminal is a cellular telephone, a satellite telephone, a personal digital assistant or a Bluetooth device.
 - 11. Canceled.
- 12. (Original). The system of claim 1, wherein said mass memory is either a magnetic storage device, an optical storage device or solid-state storage device.
- 13. (Original). The system of claim 12, wherein said mass memory module is exchangeable.
- 14. (Withdrawn). An apparatus for portable networking of multi-user applications, comprising:
 - a battery to supply power to the electrical components of said portable server;
 - a charging system in communication with said battery for charging said battery;
 - a mass memory module for storing data used by at least one wireless terminal;
- at least one processor in communication with said mass memory for locating and retrieving data stored in said mass memory module; and

wireless interface for executing a wireless protocol and communicating the data between said mass memory and at least one wireless terminal.

- 15. (Withdrawn). The apparatus of claim 14, wherein said battery is rechargeable.
- 16. (Withdrawn). The apparatus of claim 14, wherein said charging system is a plug that charges the apparatus with the same charger used to charge said at least one wireless terminal.
- 17. (Withdrawn). The apparatus of claim 14, wherein said charging system is a wall plug, and AC/DC converter.
- 18. (Withdrawn). The apparatus of claim 14, wherein said AC/DC converter is either fixed to the apparatus or removably connectable to the apparatus.
- 19. (Withdrawn). The apparatus of claim 14, wherein said apparatus is a hand-held server.
- 20. (Withdrawn). The system of claim 14, wherein the wireless protocol used for communication between the apparatus and said at least one wireless terminal device is a Bluetooth protocol.
- 21. (Withdrawn). The apparatus of claim 14, wherein said mass memory is a magnetic storage device or an optical storage device.
- 22. (Withdrawn). The apparatus of claim 21, wherein said mass memory fully exchangeable.

- 23. (Withdrawn). The apparatus of claim 14, wherein said apparatus further comprises an optional USB plug for connecting to a personal computer.
- 24. (Withdrawn). The apparatus of claim 14, wherein said apparatus further comprises an optional plug as a data cable connection to said at least one wireless terminal device.
- 25. (Withdrawn) The apparatus of claim 14, wherein said apparatus further comprising an optional plug as a power cable connection to said at least one wireless terminal device.
- 26. (Withdrawn). The apparatus of claim 14, wherein said apparatus further comprising an optional cable for both power and data connection to said at least one wireless terminal.
- 27. (Withdrawn). The apparatus of claim 14, wherein said at least one wireless terminal device is a cellular telephone, a satellite telephone, a personal digital assistant or a Bluetooth device.
- 28. (Withdrawn). The apparatus of claim 14, wherein said at least one wireless terminal comprises a plurality of wireless terminal devices using said wireless protocol.
- 29. (Currently Amended). A method for portable networking of multi-user application, comprising:

storing multi-user application data in a mass memory of a portable hand-held user device operating as a wireless server;

initiating wireless communication between said portable wireless server and at least one wireless hand-held user terminal device in a plurality of wireless hand-held user terminals;

transmitting <u>only</u> the same multi-user application data stored in said mass memory to <u>each said wireless hand-held user terminal device- the plurality of wireless hand-held user terminals</u> using a wireless protocol; and

executing of said same multi-user application data by each said wireless hand-held user terminal device in the plurality of wireless hand-held user terminals transmitted by said portable wireless server.

30. (Currently Amended). The method of claim 29, wherein said wireless <u>hand-held</u> user terminal device <u>in the plurality of wireless hand-held user terminals</u> comprises:

a user interface that allows the user to request the multi-user application data from said mass memory module;

a wireless communication interface for communicating the same multi-user application data between said portable wireless server and each said wireless <u>hand-held</u> user terminal.

a buffer memory for storing instruction for executing the same multi-user application data received by each said wireless <u>hand-held</u> user terminal;

a processor in communication with said buffer memory for executing instruction stored in said buffer memory; and

a display for viewing the same multi-user application data received by each said portable wireless server.

31. (Currently Amended). The method of claim 29, wherein said portable wireless server further comprises:

a mass memory module for storing the multi-user application data used by each said at least one wireless <u>hand-held</u> user terminal;

a processor in communication with said mass memory module that executes requests for the same multi-user application data by each said wireless <u>hand-held</u> user terminal and locates the same multi-user application data in said mass memory module; and

a wireless communication interface for communicating the same multi-user application data between said mass memory module and each said wireless <u>hand-held</u> user terminal.

- 32. (Original). The method of claim 29, wherein said wireless protocol is a Bluetooth protocol.
 - 33. (Cancelled).
- 34. (Previously Presented). The method of claim 29, further comprising providing data and power to said portable wireless server using an optional USB plug connection between said portable wireless server and a personal computer.
- 35. (Currently Amended). The method of claim 29, further comprising providing data to said wireless <u>hand-held</u> terminal device using an optional plug connection between said portable wireless server and said wireless <u>hand-held</u> terminal.
- 36. (Currently Amended). The method of claim 29, further comprising providing power to said wireless <u>hand-held</u> user terminal using an optional plug connection between said portable wireless server and said wireless <u>hand-held</u> user terminal.
- 37. (Currently Amended). The method of claim 29, further comprising providing both power and data to said wireless <u>hand-held</u> user terminal using a single optional plug connection between said portable wireless server and said wireless <u>hand-held</u> user terminal.

- 38. (Currently Amended). The method of claim 29, wherein said wireless <u>hand-held</u> user terminal is a cellular telephone, a satellite telephone, a personal digital assistant or a Bluetooth device.
- 39. (Currently Amended). The method of claim 29, further comprising communicating data stored in the mass memory to-a the plurality of wireless <u>hand-held</u> terminals.
- 40. (Original). The method of claim 29, wherein said mass memory is a magnetic storage device, an optical storage device, solid-state storage device.
 - 41. (Original). The method of claim 40, wherein said mass memory is exchangeable.
- 42. (Currently Amended). A computer program product for portable networking of multi-user applications, comprising:

a computer readable medium;

a computer readable medium;

program code in said computer readable medium for storing multi-user data in a mass memory of a portable hand-held user device operating as a wireless server;

program code in said computer readable medium initiating wireless communication between said wireless portable server and at least one wireless <u>hand-held</u> user terminal device <u>in</u> a <u>plurality of wireless hand-held user terminals</u>;

program code in said computer-readable medium for communicating <u>only</u> the same multi-user application data stored in said mass memory to <u>the plurality of each said at least one</u> wireless hand-held user terminal using a wireless protocol for execution by said at least one wireless user terminal in the plurality of wireless hand-held user terminals.

43. (Currently Amended). Apparatus for portable networking of multi-user applications, comprising:

at least one wireless hand-held user terminal in a plurality of wireless hand-held terminals; and

a portable hand-held user device operating as a wireless server including a mass memory module to store and communicate—the same multi-user application data to each-said at least one wireless hand-held user terminal—the plurality of wireless hand-held terminals;

wherein a wireless protocol communicates <u>only</u> the same multi-user application data between said wireless server and each said at least one wireless hand-held user terminal <u>in</u> <u>the plurality of wireless hand-held terminals</u> via a wireless link.

44. (Currently Amended). The apparatus of claim 43, wherein said at least one wireless <u>hand-held</u> user terminal further comprises:

a user interface that allows the user to request data from said mass memory module;

a wireless communication interface for communicating the same multi-user application data between said portable wireless server and said at least one wireless <u>hand-held</u> user terminal.

a buffer memory for storing instruction for executing the same multi-user application data received by said at least one wireless <u>hand-held</u> user terminal;

a processor in communication with said buffer memory for executing instruction stored in said buffer memory; and

a display for viewing the multi-user application data received from said portable wireless server.

Serial No. <u>10/042,344</u> Response to May 16, 2006 Office Action

45. (Currently Amended). The apparatus of claim 43 wherein said server further comprises:

a mass memory module for storing the multi-user application data used by said at least one wireless <u>hand-held</u> user terminal;

a processor in communication with said mass memory module that executes requests for the multi-user application data by said at least one wireless <u>hand-held</u> user terminal <u>in the plurality of wireless hand-held terminals</u> and locates the multi-user application data in said mass memory module; and

a wireless communication interface for communicating the same multi-user application data between said mass memory module and each said at least one wireless <u>hand-held</u> user terminal <u>in the plurality of wireless hand-held terminals</u>.

- 46. (Previously Presented). The apparatus of claim 43 wherein the wireless <u>h</u>and-held user terminal includes a memory of limited capacity to reduce the physical size of the wireless hand-held user terminal.
 - 47. (Previously Presented). The apparatus of claim 43 further comprising:

an energy management system for providing system power to the portable handheld user device and providing the portable hand-held user device terminal an alternate power supply when the system power is not available.